

## Mist-Fit MF-550 Oil Mist Collector

### Small **Footprint**

Simple to install

#### Multi-Stage

Progressive Separation

#### Fibre Bed **Filter**

High efficiency

Long filter life

Low operating costs

Low maintenance

Clean air

#### Compact and big on performance!

Mist-Fit is a compact mist collector with a fibre bed filter at an affordable price.

Fibre bed filtration has proven to be superior to other filter technologies.

Ideal for high pressure coolant and oil applications.

Oil drains back to cnc machine.

With a footprint of 15" x 15", it is easily machine mounted.

Eliminates mist, smoke and fine particles.

#### **Separation Stages:**

The innovative 1st stage Mechanical Element separates up to 90% of the oil mist and swarf. The smooth metal surfaces quickly drains fluid back to the sump.

The 2<sup>nd</sup> stage Demister Element supports the 1<sup>st</sup> stage to ensure up to 95% of the mist and swarf are removed with washable filters.

The 3<sup>rd</sup> stage Fibre Bed mist filter is depth loading that capture small mist particles. With a filter rating of MERV 15, it can be used without a HEPA filter on most applications. Typical life 1 - 3 years.

Optional 4th stage HEPA Filter captures sub-micron mist, smoke and bacteria. Efficiency 95% @ 0.3 µm is standard, optional 99.9% @ 0.3 µm.

Typical life 2 - 4 years

HEPA filter is made with exclusive heavy duty filter media, no other product holds as much or lasts as long.

#### **Technical Data:**

500 - 600 cfm Air Flow Machine tool enclosure Up to 200 ft<sup>3</sup> Motor 0.75 hp Voltage (amps) 115/1/60 (4.9) 220/1/60 (2.5) 230/3/60 (1.57) 460/3/60 (0.95)

Temperature (max) 125°F / 50°C pH limits 5.8 - 9.8

Weight 65 lbs / 75 lbs with HEPA filter

Length 15" 15" Width 26" Height

30" with 95% HEPA filter 34" with 99.9% HEPA filter 6" Ø

Inlet connection

Mounting options See options page 2 Sound 68 dB(A)

HEPA filter 95% @ 0.3µm Optional 4th stage filters HEPA filter 99.9% @ 0.3µm

Odor-Rid filter

#### **Mist-Fit Models**

MF-350

MF-550

MF-560 for Swiss type machines and demanding applications

MF-1950 for coolant, for oil applications use ARO-2000







# **Mist-Fit MF-550 Options**

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed Filter

High efficiency

Long filter life

Low operating costs

Low maintenance

Clean air

	Item	Description	Part #
	NOIII	Mist-Fit MF-550	i dit#
MATE .	A STAN EIP	3 filter stages	
	Mist-Fit MF-350	Base plate, 6" Ø inlet	
	7 794 20 40 57	(a) Voltage 115/1/60	MF55-0115
		(a) Voltage 113/1/00	
	The same of the same of	(b) Voltage 220/1/60	MF55-0220
		(c) Voltage 230/460/3/60	MF55-0460
	-		
		Stand	MF55-B002
	1	Height 11"	
		Suction hose required	
		Side Mount	MF55-B003
accept.		Side Mount	IVIF 33-B003
Mt-270			
	- 4		
and the second		Pedestal	MF55-B004
-		Height 8".	
		Offset Pedestal	MF55-B005
Mintelli Min		Height 8"	WIF 33-B003
		Tioight o	
	-	Wall Mount	MF55-B006
		Suction hose required	
HI		Suspension Kit	MF55-B007
	<b> </b>	Suction hose required	Wii 66 2667
		·	
	Mist-Fit		
	MF-350		
	1000	DI LE BLE	MESS Boss
		Blank Base Plate	MF55-B008
		For custom inlet cut on site	
	Example of custom inlet cut.		
		Optional Base Plates	
	<>	(a) 4" Ø inlet	MF55-B009
		(b) 4" Ø inlet with oil drain nipple	MF55-BD09
		(c) 2 x 4" Ø inlets with oil drain nipple	MF55-BD10
		(d) 6" Ø inlet with oil drain nipple	MF55-BD01
		(e) Tsugami flange mount	MF55-B012
	P	Floor stand	MF55-B219
		Adjustable 6 – 8 ft	WII 00 DZ 13
		Galvanized steel	
	Ц	Suction hose required	
1	44		l



# **Mist-Fit MF-550 Options**

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed Filter

High efficiency

Long filter life

Low operating costs

Low maintenance

Clean air

Item	Description	Part #
nem	Optional: For absolutely clean air	MF55-A020
	HEPA Filter Kit 4"	WII 33-A020
	c/w HEPA filter	
	95% @ 0.3 μm	
	Optional: For smoke & absolutely clean air	MF55-A021
	HEPA Filter Kit 8"	
4	c/w HEPA filter	
	99.9% @ 0.3 µm	
	Optional:	
	Odor-Rid filter Kit 8"	MF55-A022
	Combo HEPA 95% & carbon	WI 33-A022
9 1	Motor Starter	
		MF35-E115
	Voltage 115/1/60	
0	Voltage 220/1/60	MF35-E220
	Voltage 230/3/60	MF35-E230
-	Voltage 460/3/60	MF35-E460
A - A	VFD Motor Starter, NEMA 1	
	Voltage 115/1/60	MF55-V115
	Voltage 220/1/60	MF55-V220
	Voltage 230/3/60	MF55-V230
	3	
AWA	Voltage 460/3/60	MF55-V460
	Wire kit, 25 ft + strain reliefs	MF55-E001
	Chip Strainer	MF55-A011
	6.5' x 8" x 3.25" ht	
MARIE	Suction Hose	MF55-A012
	6" Ø	
(((0)))))))))	sold by foot	
	Hose Clamp	MF55-A013
W.	Set of 2	
	6" Ø	
	Marakina Aslandan	MESS ADA A
	Machine Adaptor	MF55-A014
	6" Ø	
	Spara 4th Stoca	MF55-F004
	Spare 4 <sup>th</sup> Stage	IVIF35-FUU4
	HEPA Filter 4"	
	95% @ 0.3 μm	
	Spare 4 <sup>th</sup> Stage	MF55-F005
	HEPA Filter 8"	
	99.9% @ 0.3 μm	
	Spare 4 <sup>th</sup> Stage	MF55-F009
	Odor-Rid Filter 8"	
	Combo HEPA 95% & carbon	
	Combotile // Co/o & Calbon	
	O ord Or	MESS SOC
	Spare 3 <sup>rd</sup> Stage	MF55-F007
	Fibre Bed Filter	
	Spare 2 <sup>nd</sup> Stage	MF55-F002
	Demister Element	WII 00 1 002
	Dettiligret Elettietir	
	Spare 1 <sup>st</sup> Stage	MF55-F001
	Mechanical Element	WII 33-1 00 I
-	MECHANICAL ETCHERIL	
-	i	



## Mist-Fit MF-350 / 550 Oil Mist Collector

### **Small Footprint**

Simple to install

### Multi-Stage

Progressive Separation

#### Fibre Bed **Filter**

High efficiency

Long filter life

Low operating costs

Low maintenance

Clean air

### **Mounting Options**



**Direct Mount** Blank Base Plate Custom cut on site

Accessories Chip strainer



### Optional Base Plates

- 4" Ø inlet 4" Ø inlet with
- oil drain nipple 2 x 4" Ø inlets with oil drain
- nipple 6" Ø inlet with oil drain nipple



Accessories Chip strainer



Pedestal Height 8"

Accessories
➤ Chip strainer



#### Offset **Pedestal** Height 8"

Accessories > Chip strainer



Accessories

- ➤ Suction Hose 6" Ø
   ➤ Hose Clamps 6" Ø
- Machine adaptor 6" Ø Chip strainer



### **Wall Mount**



#### Suspended



#### Floor Stand

Adjustable 6ft to 8ft Mist-Fit



Stand



